






























<p>【開始】 最初に読んでください</p> 	<p>テイエコ A血球 DIA580 Exp:2023/09/19</p> 
<p>サージスクリーン 3SS343 Exp:2023/09/19</p>  <p>[1]</p>  <p>[2]</p>  <p>[3]</p> 	<p>[1]</p>  <p>リゾルブパネル B RB635 Exp:2023/09/19</p>  <p>[12]</p>  <p>[13]</p> 
<p>サージスクリーン 3SS343Z Exp:2023/09/19</p>  <p>[1]</p>  <p>[2]</p>  <p>[3]</p> 	<p>[14]</p>  <p>[15]</p>  <p>[16]</p>  <p>[17]</p> 
<p>サージスクリーン 3SS345 Exp:2023/09/19</p>  <p>[1]</p>  <p>[2]</p>  <p>[3]</p> 	<p>[18]</p>  <p>[19]</p>  <p>[20]</p>  <p>[21]</p> 
<p>サージスクリーン 3SS346 Exp:2023/09/19</p>  <p>[1]</p>  <p>[2]</p>  <p>[3]</p> 	<p>[22]</p>  <p>【終了】 最後に読んでください</p> 
<p>セレクトジェン S439 Exp:2023/09/19</p>  <p>[1]</p>  <p>[2]</p> 	
<p>テイエコ A血球 DIA579 Exp:2023/09/19</p>  <p>[1]</p> 	

0.8%リゾルブパネルCは、通常のリゾルブパネルCとして読み込まれます。